Freeform Search

IBM Technical Disclosure B	ex ulletins
L21 and packet\$	
Display: 10 Documents in Dis Generate: C Hit List © Hit Coun	

DATE: Thursday, August 26, 2004 Printable Copy Create Case

Set Name Query side by side		Hit Count Set Name result set	
DB=U	SPT; PLUR=YES; OP=OR		
<u>L29</u>	128 and (spare\$ or auxiliary)	1	<u>L29</u>
<u>L28</u>	L27 and (defect\$ or fault\$)	1	<u>L28</u>
<u>L27</u>	6741798.pn.	1	<u>L27</u>
<u>L26</u>	L25 and defect\$	1	<u>L26</u>
<u>L25</u>	6654543.pn.	1	<u>L25</u>
<u>L24</u>	L22 and spare\$	9	<u>L24</u>
<u>L23</u>	122 and fast	4	<u>L23</u>
<u>L22</u>	L21 and packet\$	33	<u>L22</u>
<u>L21</u>	L20 and (divid\$ or division\$1)	34	<u>L21</u>
<u>L20</u>	L19 and medium	34	<u>L20</u>
<u>L19</u>	L18 and track\$	34	<u>L19</u>
<u>L18</u>	L16 and (copy\$3 or copi\$3)	34	<u>L18</u>
<u>L17</u>	L16 and copy\$	34	<u>L17</u>
<u>L16</u>	L15 and stor\$	38	<u>L16</u>
<u>L15</u>	L14 and control\$	38	<u>L15</u>
<u>L14</u>	L13 and auxiliary	38	<u>L14</u>

<u>L13</u>	L12 and normal\$	140	<u>L13</u>
<u>L12</u>	L11 and correct\$	166	<u>L12</u>
<u>L11</u>	L10 and memory	185	<u>L11</u>
<u>L10</u>	L9 and buffer\$	188	<u>L10</u>
<u>L9</u>	L8 and defect\$	247	<u>L9</u>
<u>L8</u>	L7 and block\$	1658	<u>L8</u>
<u>L7</u>	L6 and file\$	1750	<u>L7</u>
<u>L6</u>	L5 and head\$	2889	<u>L6</u>
<u>L5</u>	L4 and read\$	3718	<u>L5</u>
<u>L4</u>	L3 and writ\$	3848	<u>L4</u>
<u>L3</u>	L2 and (reproduc\$ or playback or play\$)	7684	<u>L3</u>
<u>L2</u>	L1 and record\$	8320	<u>L2</u>
<u>L1</u>	(386/2,3,5,47-49,51).ccls. or (386/\$.ccls.)	8894	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L16 and memory
Display: Generate:	Documents in <u>Display Format</u> : TI Starting with Number 1 C Hit List • Hit Count C Side by Side C Image
	Search Clear Interrupt

DATE: Thursday, August 26, 2004 Printable Copy Create Case

Set Name	<u> </u>	Hit Count	Set Name result set
DB=U	SPT; PLUR=YES; OP=OR		
<u>L18</u>	L17 and auxiliary	6	<u>L18</u>
<u>L17</u>	L16 and memory	24	<u>L17</u>
<u>L16</u>	L15 and block\$	25	<u>L16</u>
<u>L15</u>	L14 and (divid\$ or division\$)	26	<u>L15</u>
<u>L14</u>	L13 and buffer\$	31	<u>L14</u>
<u>L13</u>	L12 and 111	81	<u>L13</u>
<u>L12</u>	(386/\$.ccls. or 369/\$.ccls.)	40971	<u>L12</u>
<u>L11</u>	L10 and (begin\$5 same tape\$)	584	<u>L11</u>
<u>L10</u>	defect\$5 same tape\$	4881	<u>L10</u>
<u>L9</u>	14 and (stor\$ or auxiliary or buffer\$ or packet\$)	1	<u>L9</u>
<u>L8</u>	L7 and defect\$	1	<u>L8</u>
<u>L7</u>	6654543.pn.	1	<u>L7</u>
<u>L6</u>	L5 and defect\$	1	<u>L6</u>
<u>L5</u>	6741798.pn.	1	<u>L5</u>
<u>L4</u>	L3 and defect\$	1	<u>L4</u>
<u>L3</u>	6577812.pn.	1	<u>L3</u>

<u>L2</u> L1 and defect\$ 1 <u>L2</u> <u>L1</u> 6487362.pn. 1 <u>L1</u>

END OF SEARCH HISTORY